


King County Lake Bathymetric Maps


Following are bathymetric map for each lake included in the Lake Stewardship Program in King County. Bathymetric maps for several lakes monitored by volunteers could not be located. These include lakes Allen, Easter, Horseshoe, and Walsh. Both Francis and Horseshoe are known to be relatively shallow. The shape of the bottom of Walsh Lake is not known at this time.

Many of the bathymetric maps were made by the Washington Department of Fisheries as part of their work regulating sport fishing in the lakes of Western Washington (Wolcott 1964) and were based on surveys that measured depth across transects using sounding lines. Some of these may contain small errors or may now be out of date due to changes in land use in the watersheds and along shorelines.


The bathymetric maps are reproduced to fit on an 8.5" x 11" page format. As a result the scale for each map is different. Please make a note of this when comparing lake maps.

Alice Allen





Beaver Lakes 1 and 2




Bitter Boren




Bathymetric maps were obtained from Wolcott (1964).

King County Lake Stewardship Program





Bathymetric maps were obtained from Wolcott (1964).






Jones Joy







Lake Bathymetric Maps Marcel Lucerne No bathymetric map available. 500 feet to Pipe Lake Margaret McDonald


Bathymetric maps were obtained from Wolcott (1964).

500 feet


400 feet




Paradise




Pipe




Ravensdale Retreat




Steel Trout



Twelve Walsh



Welcome





Bathymetric maps were obtained from Wolcott (1964).

King County Lake Stewardship Program

Yelllow

